Application of Wastewater in the Frame of Circular Economy; Irrigation of Agricultural Lands

Rita Kendrovics -Boda ^{*,1}, Imre L. Biczó ¹ and Zoltán Juvanc ¹

¹ Environmental Institute of Rejtő Sándor Faculty of Light Industry and Environmental Protection Engineering, Óbuda University, Hungary

Abstract: A great number of examples for Circular Economy applications are known in the field of solid, recyclable waste streams. In this area a massive development can be adsorbed. Relatively fewer efforts are devoted to the reuse of liquid resources. But waste water treatment is a technology what could be also considered as a technology what is able to provide streams otherwise problematic and not valorized: nutrients for agricultural use. An example for that new concept is the reuse of waste water for irrigation. This application can reduce the water scarcity and so slow down the increasing demand for fresh and absolutely clean water.

The reuse of treated waste water could create the opportunity of an integrated water management and so could contribute to the management of lack of water, and sustainable use of water resources. To apply this new approach the way of thinking should be changed according to the goals and action plan of EU "Circular Economy".

One of the key concepts of the integrated water management is to reuse the retained materials, - to the greatest extent-, materially or energetically. In this process the waste water treatment could be reshaped to avoid the environmental contamination and the depletion of natural resources in the same time: This approach needs to have relevant technical and institutional backgrounds and need to be economically viable and socially accepted.

The reuse for irrigation of the cleaned waste water could contribute to the saving of water resources in areas where the lack of water and use of groundwater create an important problem or the effective water management is in danger. This application of waste water for irrigation should be realized through living ecosystems; parks, lakes and ponds, wetland systems, forests and orchards,. The paper highlights the technological opportunities and regulation background of reuse of treated waste water for irrigation according to the above mentioned ideas.

Keywords: *waste water recycling, circular economy, integrated water management, reuse of waste water for irrigation.*

1. Introduction

Water scarcity is one of the most important global problems what concerns almost all societies in the World in the 21st century. Almost 20% of the population of the World is living on areas where they have to face physical scarcity, while ¼ of the global population faces economical scarcity. Latter means lack of proper infrastructure for exploitation of either surface or groundwater resources [1].

The climate change, due the increasing greenhouse gases (CO₂, CH₄, N₂O) emission, - makes this situation even worse [2]. The climate change intensifies the water cycle, the evaporation.

It is forecasted that 60% of population will be living in cities by 2030 out of the more than the 8 billion people.

* Corresponding author: Rita Kendrovics -Boda, E-mail: bodane.rita@rkk.uni-obuda.hu

This projected fact will change the ecosystem and the environment. [3]. This urbanization will cause a massive increase in waste generation and energy-demand and the problems associated with waste and rain water treatment.

The growing population and the climate change result in the growing demand for water. The traditional water management is changing due to the water scarcity and due to the competitive situation for water resources. Today water management includes the non-conventional water resources also as for example the low yield wells, rainwater management and reuse of waste water [1].

The agriculture is one the biggest water users; irrigated cultivation is accountable for 70% of fresh water use [4].

It can be said due to this fact that water scarcity could be solved by effective use of our water resources, the water-saving irrigation technologies and reuse of waste water. Although we can observe water wasting activities both in Europe and in Hungary but we can also see the signs of paradigm shift. One example of this change is the press release of the European Commission on the Circular Economy Package published on the 17th of March in 2016 [5]. With this new approach European Commission boosts the use of organic and waste-based fertilizers. One of the main goals of this measure is to make possible the reuse of the bio-waste converted into raw materials what can be used to manufacture fertilizing products.

The goals outlined in the action plan support the actuality of reuse of waste water especially in the field of agriculture. This application will have a growing importance in the future mainly in arid, droughty areas. In these areas the waste water is considered not only as soil nutrient but also as soil humidity improver. Taking into account the topographical and climate aspects it can be stated that the reuse of waste water after sufficient purification has a positive effect on the water management of those arid agricultural lands. Shortly we can state that the used water should be considered not as waste what is needed to discharge but this amount of water, - what was costly cleaned before its use, - should be retained and used for irrigation.

This paper outlines the requirements relating to and opportunities of reuse of waste water for

irrigation.

2. The necessity, opportunities and limitations of reuse of waste water

In the light of the above written statements the waste water should be considered as a source of water what is available in the given area and time. The water is the source of the life so, - according to the Circular Economy approach-, the modern water management should focus on the whole water cycle as a challenge.

In the Circular Economy the (raw) materials and energy flow in a closed-loop where the resources are (re)used in an effective way so the ecological footprint is decreased and the application of clean technologies and clean production is getting more important. (Fig.1.)

Fig. 1: Circular Economy. (http://www.aisec-economiacircolare.org/wp-content/uploads/2018/08/circular_economy_icon-EN-New-final-01.png)

The concept of Circular Economy can be applied in the field of water management also. In this case the reuse of the appropriately cleaned waste water and waste water sludge get importance. The safe and cost-effective reuse of the appropriately cleaned waste water is a valuable solution of water management what is not applied in high scale for the time being. Although this could be a solution towards the better use of water resources and better water supply. This approach is known as "integrated water management". In the frame of this approach the cleaned waste water should be kept and reused in the area where it was used. In this way both the water recipient could be less charged and meantime the nutrients what can be found in the

waste water could be utilized. The EU action plan for the circular economy underlines the necessity of the legislation as an important task; "The Commission will take a series of actions to promote the reuse of treated wastewater, including legislation on minimum requirements for reused water." [7]

2.1 Opportunities of Waste Water Reuse

The reuse of waste water means the use of water what is generated during the waste water treatment and meets the quality requirements of the given application purposes. The quality requirements include ; health and environmental risk mitigation measures, national and European relevant legislation. The reuse of properly treated waste water can be direct; from the waste water treatment plant the treated water could be pumped directly into the pipe system. Or this application could be indirect; the of properly treated waste water first is discharged into a natural water recipient; a river or a lake fromwhere later would be pumped out for irrigation for example.

The reuse of properly treated waste water means the recycling of the nutrients of the treated waste water and one of the water itself. The reuse of waste water can save partly or totally the original water resources in the following areas;

- ✓ *in case of the application of highly effective drinking water treatment technologies the reuse of waste water can contribute to drinking water production,*
- ✓ *recharge of groundwater reservoirs,*
- ✓ *for agricultural, industrial and urban purposes, if the drinking water quality is not required,*
- ✓ *furthere more the sludge generated by the waste water treatment processes can be used for agricultural or energetic applications.*

The reuse of waste water is allowed in some countries for direct or indirect drinking water supply.

2.2 The necessity of reuse of waste water – the effects of climate change on water resources

There is no doubt about the climate change and the effect of greenhouse gases is not questioned neither.

The climate change used to be a natural phenomena over the history of the Earth but in geological times those natural changes had happened over longer period of the time. The use of fossil fuel in the energy creation has been increased by 33% since the Industrial Revolution. The following figure shows the global CO₂ emission.

Higher the CO₂ concentration in the atmosphere

Fig. 2: CO₂ emission WW. (<http://www.esrl.noaa.gov/gmd/ccgg/trends/global.html>)

grater the climate change. The growing average temperature accelerates the local and global water cycle; evaporation, precipitation, falling, infiltration, run-off. This results in a grater average precipitation by 3,9% compering to the average of the years 60-90s.

The climate models prognosticate the further growth of the of avarege precipitation. The intensity of the fall and winter precipitation will be even higher while the summer rainfalls will decrease and the dry seasons will be longer due to the climate change model forecasts.

The presipitation shift can be demonstrated by the followinh Hungarian data; The rain fall varied between 14 – 188 mm in May 2017, while the average was 51 mm. This average was smaller by 15% (i.e. 9 mm) than the referenc data measured between 1971 and 2000, due to the data measured by the General Directorate of Water Management.

The water management faces big chalanges because the warming and longer dry periods and the intensive rain falls are disadvantageous for the water resources. The water run-offs are decreasing by 10-20% due to the modell calculations, especially in the Eastern part of the country. The degradation of the surface water balance causes decreasing infiltration of the water so the recharge rates of the smaller watercourses, streams and small rivers are decreasing also.

The frequency and the extention of the period of drought in Hungary are supposed to grow due to the climate change. This change is provoked by higher summer average temprerature and the growing number of hot days. The lack of summer

Tab. 1: Reuse of waste water by application areas and necessary treatments US EPA.

Water reuse		Treatment goals	Example of applications
Urban use	Unrestricted	Secondary filtration, disinfection BOD ₅ ≤ 10 mg/l Turbidity: ≤ 2 NTU Fecal coliform: 0/100 ml Cl ₂ residual: 1 mg/l pH 6-9	Landscape irrigation (parks, playgrounds, school yards, fire protection, ornamental fountains, in-building uses (toilets, air conditioning))
	Restricted	Secondary and disinfection BOD ₅ ≤ 30 mg/l TSS* ≤ 30 mg/l Fecal coliform: ≤ 200/100 ml Cl ₂ residual: 1 mg/l pH 6-9	Irrigation of areas where public access is infrequent and controlled (golf courses, cemeteries)
Agricultural irrigation	Food crops	Secondary filtration, disinfection BOD ₅ ≤ 10 mg/l Turbidity: ≤ 2 NTU Fecal coliform: 0/100 ml Cl ₂ residual: 1 mg/l pH 6-9	Crops grown for human consumption and consumed uncooked
	Non-food crops and food crops consumed after processing	Secondary and disinfection BOD ₅ ≤ 30 mg/l TSS ≤ 30 mg/l Fecal coliform: 200/100 ml Cl ₂ residual: 1 mg/l pH 6-9	Fodder, fiber, seed crops, commercial aquaculture
Recreational use	Unrestricted	Secondary filtration, disinfection BOD ₅ ≤ 10 mg/l Turbidity: ≤ 2 NTU Fecal coliform: 0/100 ml Cl ₂ residual: 1 mg/l pH 6-9	No limitation on body contact (lakes, and ponds used for swimming, snowmaking)
	Restricted	Secondary and disinfection BOD ₅ ≤ 30 mg/l TSS: ≤ 30 mg/l Fecal coliform: 200/100 ml Cl ₂ residual: 1 mg/l pH 6-9	Fishing, boating and other noncontact recreational activities
Environmental enhancement		Similar to unrestricted urban uses Dissolved oxygen; pH; 6-9, Coliform organisms, nutrients	Artificial wetlands, enhanced natural wetlands and sustained stream flows
Groundwater recharge		site-specific	Groundwater replenishment, salt water intrusion control
Industrial reuse		Secondary, disinfection BOD ₅ ≤ 30 mg/l TSS: ≤ 30 mg/l Fecal coliform: 200/100 ml	Cooling system makeup water, process waters, boiler feed waters
Potable		Meet requirements for safe drinking water	Blending with municipal water supply

* TSS – total suspended solids

precipitation and the weather extremes further aggravate the situation.

Nowadays it can be stated that 35% of the area of Hungary belongs to the especially highly vulnerable zones due to the droughty periods caused by climate change. 22% of the Hungarian population is leaving in these micro-regions what represent

about 45% of the most marginalized areas.

Taking into account those tendencies and the growing ratio of arid areas in the future (Fig.3.) it is evident that it is a must to deal with the reuse of the waste water.

It is a fundamental principle that the appropriately cleaned wastewater should be kept in the micro-

Fig. 3: The growth of aridity in Hungary (presented by B. Nováky B at a Conference on „Future building” 2008).

region where it was generated. The reuse of this wastewater could be realised by either infiltration into the soil or irrigation. This approach is in line with the Directive of the Council of the European Communities (91/271/EEC) as it is stated in article 12 (1); „Treated waste water shall be reused whenever appropriate. Disposal routes shall minimize the adverse effects on the environment.” On the base of this Directive the reuse of the appropriately cleaned waste water is an important goal to be supported in the period of 2014- 2020. The reuse could mean groundwater recharge, irrigation, pond-farming on recultivated areas. To reach these goals we need to change our mindset furthermore a system of supportive measures should be introduced and applied.

The reuse of appropriately cleaned waste water could make possible to create a more competitive agriculture in Hungary. This new approach could decrease the dependence of the agriculture on rain water and water resources. Applying the waste water for irrigation the land used for agriculture could be bigger by 5-10 %. Actually the irrigated agricultural area in Hungary currently is 0-3% which is far below the average European Union (5,8%). The water what is used for irrigation mostly (90%) comes from surface water sources.

2.3 Limitation for the use of the waste water

The requirements relating to the waste water use are as follow;

- ✓ **human health protection; concentration limits should be identified both for pollutants and pathogenic agents,**
- ✓ **protection of the soil and plants; limits for heavy metals and salts must be kept,**

- ✓ **groundwater protection; pollutant limits must be kept,**
- ✓ **acceptance of this technology by people and by authorities,**
- ✓ **the opportunities for waste water storage before irrigation.**

If the first two from the list above are kept and have kept the last requirement is easier to be met. To have a system approach the general legislative framework and detailed technical regulation including the acceptable limits must be in place.

Although the above listed requirements for the reuse of waste water are known in some countries (e.g.; Turkey, Tunisia, and Mexico) untreated waste water is used for irrigation of agricultural lands. In other areas the relating rules are very strict, e.g. in California, the tertiary treatment is also required for the reuse of the waste water.

The relatively new tests revealed a new type of limitation for the reuse of waste water; these are trace chemical compounds as residues of PhACs—Pharmaceutically Active Compounds, PCPs—Personal Care Products. These chemicals represent a health risk and called together as EDC—Endocrine Disrupting Chemicals because they are harmful for the endocrine system. To evaluate the risk of these chemicals further investigations and tests will be needed. Perhaps additional treatment procedures must be applied to avoid health risks. A greater emphasis on the development of waste water treatment technologies should be used to improve the effectiveness of the removal of the organic micro pollutants. Such so called fourth level waste water treatment technologies are already used in Heilsbrunn (Switzerland) and in Ulm (Germany). These promising technologies make possible to remove the above mentioned micro pollutants.

Further considerations to be taken into account relating to the waste water use in agriculture are as follow;

- ✓ **the irrigation with treated waste water might cause odours; to avoid this problem a given detection distance must be established and controlled for the operations,**
- ✓ **the soil characteristics could be changed in case of wrongly applied irrigations, the soils must be monitored,**
- ✓ **to avoid bacterial pollution additional (pre)treatment should be applied.**

On the base of the above listed requirements and considerations it can be stated that the adequate treatment of the waste water must be carried out prior the reuse of the waste water. To determine the parameters of the “adequate treatment” both the characteristics of waste water pollutants and the

soil and the plants to be irrigated must be known. To know the efficiency of the treatment technologies to be applied is also inevitable. To know the self-recuperative power is also important to be able to determine the permissible limits of the waste water charge. This is depending on the soil thickness. If these parameters are not taken into account the groundwater could be polluted and so the drinking water resources also. This is the reason why the limits for the listed parameters in the Government Decree 50/2001 (IV.3.) must be met.

The above detailed requirements provoke a prudent and reasonable planning and implementation of irrigation. This approach must be established on analytical results.

3. Reuse of waste water for agricultural purposes

The ratio of the reuse of the waste water between agriculture and other purposes mostly is shifted towards the former one. These ratios are shown in case of countries where the fresh water scarcity is a problem on figure 4.

Fig. 4: The ratio [%] of the reuse of the waste water in different countries facing fresh water scarcity.

3.1 The source and quality of the waste water

The urban waste water is generally suitable for irrigation purposes after appropriate treatment. The treatment must address the pathogenic micro-organisms and mainly the requirements of the Public Health Code must be met.

In case of industrial waste water sources only those could be used for agricultural irrigation what contain mainly natural, biodegradable, organic pollutants. If this type of waste water contains toxic pollutants these must be below the relevant limits. Waste waters from the food industry, mainly from the sugar-, canning-, starch-, spirits-, beer-, beverage- and dairy industry are the most suitable. Waste waters from the light industrial activities are

also usable for irrigation e.g. paper-, pulp-, wood industry. The waste water streams from the chemical industry mostly not suitable for irrigation but the waste water of the fertilizer production could be beneficial as this type of waste water practically could be considered as watery fertilizer solutions. The waste water generated by the energy sector by cooling processes and the waste water the building sector could be also used for irrigation in the agriculture if the quality requirements are met. The agricultural waste water is mostly applicable for irrigation also except their pollutants limits the applications.

Obviously the waste water what contains pollutants as toxic or radioactive ones above the acceptable limits is not usable.

The national regulation classifies the usability of the waste water for irrigation according to hygienic criteria as follow;

✓ *The waste water what does not contain toxic, harmful or radioactive materials can be used without restrictions. This waste water must be collected separately from urban waste water. Furthermore the waste water of food industries is also usable without restrictions if fecal contamination can be disclosed.*

✓ *Urban and industrial waste water can be used for agricultural irrigation with restriction if pathogen microbes can be present, but toxic or radioactive pollutants are certainly below the acceptable limits.*

✓ *The waste water type what contains toxic or radioactive pollutants, - even one pollutant as such-, above the acceptable limits can not be used for irrigation in the agriculture. Similarly waste water from institutions where human or animal infectious diseases can occur can not be used for irrigative purposes.*

The relevant Hungarian legislation specifies the procedures of soil investigation and the authorization processes addressing questions of the hygiene, water quality, animal health care and environmental concerns.

3.2 Natural constraints

The self-cleaning capability of the ecosystems makes possible the reuse of the acceptably treated waste water.

To let the natural process happen we need appropriate soil layer and time. If one of these elements is missing the soil and/or the groundwater will be polluted by pathogen micro-organisms and/or organic pollutants. Different soil types can "clean" and tolerate different waste water pollutants but always only up to a given loading level.

So the toxic and salt content will determine the

usability of a given waste water for agricultural irrigation purpose.

3.3 The specific waste water quantity

The appropriately cleaned waste water is a source of water, nutrient, organic material so it is important for the growth of the plants. It is very important that the effect of the irrigation water (waste water) on the water regime and on the biogeochemical cycle of the nutrients must be considered. To calculate the maximum quantity of the waste water to be used for irrigation yearly on a given piece of land the following aspects must be considered;

- ✓ *the water balance of the given area, the excess water quantity must be drained elsewhere,*
- ✓ *it is important to avoid the accumulation of different salts in the root zone,*
- ✓ *the organic load of the irrigating water must be balanced with the biodegradation capability of the irrigated area,*
- ✓ *similarly the nutrient content must be in balance with the nutrient demand of the irrigated plants*
- ✓ *the load of the toxic components must be kept below the acceptable limits.*

3.4 The grown crop

The following plants could be irrigated most effectively with the treated wastewater;

- ✓ *reedy, grassy areas,*
- ✓ *areas of natural vegetation and forest plantations e.g. poplar, willow,*
- ✓ *energy crops, biomass production,*
- ✓ *arable farming; corn, sugar beet, sunflower,*
- ✓ *vineyards, orchards.*

The tree plantations (poplar and willow) are the most suitable for the economic and environmental friendly treatment of waste water.

It is important to build temporary waste water storage for the periods where there is not vegetation, no need for irrigation e.g. in case of arable farming.

3.5 The Hungarian experience relating to agricultural reuse of waste water

The reuse of waste water for agricultural purposes, mainly as irrigation water started already in the 1920s in Hungary. In this time the waste water was used for irrigation and in fish ponds in seven areas; around the following cities; Debrecen, Sopron, Pécs, Eger, Székesfehérvár, Kaposvár and Budapest. Unfortunately the overuse of waste water caused public health problems in some cases. Scientific research of and experimental irrigation with waste water has been started in Debrecen in the 60s.

The following two tables (table 2 and 3) summarize

the experimental parameters of 12 urban and 6 industrial waste water treatment plants.

Although the results clearly showed the benefits of the reuse of waste water for irrigation but due to the changing environment and regulation and acceptance of the neighborhood the experiments started in the 60s – 70s were stopped in the 80s. This change was supported by changing structure of agricultural landlords also.

There are still some poplar plantations (about 16–20) where treated waste water is used for irrigation, but their weight is not too significant.

On the other hand there are about 4–6 new sites where treated waste water is used again for irrigation. These sites have been in operation since the early 2000s and mostly poplar plantations.

The other areas where the appropriately treated waste water is getting more and more used are the energy crop production and biomass farming.

3.6 Waste water reuse for irrigation of energy crops cultures

The environmental, climate and soil capabilities of Hungary make possible to build a biomass industry. One of the key activity toward this goal is to production of energy crops. And the energy crop farming gives a great opportunity for the utilisation of treated waste water for irrigation! In case of the woody energy crops one of the limitation factors of biomass production is the lack of water. So this makes understandable the importance of the utilisation of treated waste water for irrigation through the whole year. On the other hand the cultivation of the woody energy crops can be considered as waste water treatment technology also. So this activity has a double goal; on one hand there is energy, biomass production on the other hand this is a further treatment of waste water and irrigation in the same time. And the third advantage of this technology is that with this application we can use less valuable agricultural lands for production, this could be considered as a brown field investment also. Some species of woody energy crops take up extremely high amount of N and P from the treated waste water so those species are even more effective in the final treatment of the waste water.

According to the new „National Energy Strategy 2030” of Hungary the biomass production and so the cultivation of energy crops gets more and more importance. So the woody energy crops will be an important source of renewable energy and in the same time this will create more opportunity for the reuse of waste water.

Tab. 2: Experimental urban waste water sites where treated waste water was used for agricultural irrigation.

Settlement	Treatment	Recipient	Capacity [m ³ /d]	Area [ha]		
				arable land	forest	total
Kecskemét	mechanical pretreatment+irrigation	Kiskunfélegyházi-canal	18 000	761	76	837
Cegléd		Cigányszéki irrigation ditch	5 600	800	50	850
Gyula	mechanical pretreatment+ trickling filtration+irrigation	Kétegyházi canal	7 600	-	140	140
Nyírbátor	mechanical pretreatment+irrigation	soil	2 400	-	50	50
Zalakaros			1 000	-	36	36
Nagykálló			500	-	18	18
Agárd			300	-	10	10
Hőgyész			300	-	10	10
Székkutas			350	-	16	16
Füzesgyarmat			120	-	6	6
Kisléta			10	-	4	4
Mezőkovácsháza			50	-	10	10
Total			35 520	1 561	426	1 987

Tab. 3: Experimental industrial waste water sites where treated waste water was used for agricultural irrigation.

Industrial site	Treatment	Start of operation	Capacity [m ³ /d]	Area [ha]		
				arable land	arable land	összes
Szigetvár Cannery	mechanical pretreatment+irrigation	1970	6 000	-	98	98
Bácsbokodi Dairy	mechanical pretreatment+irrigation	1974	350	22	2	24
Borsodi Brevery	mechanical pretreatment+irrigation	1975	8 000	604	88	692
Sarkadi Sugar Factory	ponds	1975-78	6 700	-	50	50
Répcelaki Cheese Factory	mechanical & chemical pretreatment+irrigation	1980	510	76	18	94
Hernádi Poultry Processing	oxidation + sedimentation + irrigation	1981	1 400	-	22	22
Total			22 960	702	278	980

4. Summary

To accelerate the development of strategically important reuse of appropriately treated waste water the social, economical and environmental aspects must be taken into account.

The most sensitive element of this decision making process is the social acceptance of irrigation with waste water. Probably the reuse of waste water should be considered as „new water” to make the acceptance easier.

Obviously the use of this „new water” must be implemented after a serious risk assessment in each cases. The relevant legislation with the limits and authorization processes must be laid down in line with the EU directives. The regulation must address the responsibilities of each player of the

process to make reliable the operation of the reuse of waste water. The social acceptance can be raised by the information dissemination e.g. the results of analytical quality measurements of pollutants into the irrigation water.

Improving the application opportunities of waste water for irrigation we can have the following benefits;

- ✓ *contribution to realization of the national environmental goals,*
- ✓ *development of agricultural production and biomass industry,*
- ✓ *job creation for people working in the waste water treatment and biomass sectors,*
- ✓ *keeping the (used) water in the regions,*
- ✓ *improved landscaping,*
- ✓ *in case of water scarcity there will be additional water source*

(new water),

✓ *using waste water for irrigation the nutrients / pollutant content will be utilised and in the same time mean less environmental burden for the lakes and rivers,*

✓ *less chemicals need to be used in the final stage of waste water treatment,*

✓ *less fertilizers need to be used in the agricultural production where waste water is used for irrigation,*

✓ *the quality of wetlands can be improved,*

✓ *using waste water for irrigation there is less demand for the use of clean or cleaned water, what is extremely important mainly in case of water scarcity.*

The reuse of the treated waste water for irrigation means an additional waste water treatment technology. In this case the irrigated land will work for us in the last steps of the waste water treatment so instead of investing into additional technology and using additional additional amount of chemicals these extra costs can be spared. On the other hand the nutrients of the waste water will be applied for biomass production by the irrigated plants. So in this way the cost of fertilisers can be spared partly. Additional benefit is that low quality agricultural lands can be used also for this type of irrigation and biomass production in the same time.

One of the goals of the modern and sustainable water management is the recycle of the retained elements (N, P, K). The irrigation with appropriate treated waste water makes possible to reach this goal also by generating biomass and potentially energy, creating values. This technology is getting more and more valuable in countries where the water scarcity is getting more and more serious due to the consequences of climate change.

References and Notes

- [1] FAO 2007: Coping with water scarcity. Letöltve 2016.04.05-én a FAO weboldaláról: <http://www.fao.org/nr/water/docs/escarcity.pdf>
- [2] IPCC Fifth Assessment Report – Climate Change 2013 The Physical Science Basis
- [3] Gayer-Ligetvári: Települési vízgazdálkodás, csapadékvíz elhelyezés, AQUAPROFIT Budapest, 2015
- [4] World Water Development Report 2016. Letöltve 2016.04.05-én: <http://www.unwater.org/publications/publications-detail/en/c/396246>
- [5] Press release of the European Commission: http://europa.eu/rapid/press-release_IP-16-827_hu.htm
- [6] Veolia Water | The world leader in water services and water treatment) <http://www.veoliawater.com>.
- [7] Dr. Stuart Khan: Drinking water through recycling The benefits and costs of supplying direct to the distribution system Australian Water Recycling Centre of Excellence Report of a study by the Australian Academy of Technological Sciences and Engineering (ATSE), 2013
- [8] World Science Forum 2015 - Declaration of the 7th World Science Forum on the Enabling Power of Science, <<http://www.sciforum.hu/declaration/index.html>>, (letöltés: 2015.11.14.)
- [9] H. Cooley- K. Donnelly- R. Phurisamban -M. Subramanian: Impacts of California's Ongoing Drought, Agriculture ISBN-13: 978-1-893790-66-7, 2015 August Pacific Institute
- [10] Prof. Tamás J., Prof. Blaskó L.: Environmental management, Debreceni Egyetem a TÁMOP 4.1.2 pályázat, http://www.tankonyvtar.hu/hu/tartalom/tamop425/0032_kornyezettechnologia/ch09s02.htm, 2008
- [11] Guidelines for Municipal Wastewater Irrigation" Alberta Environment 2000, <https://extranet.gov.ab.ca/env/infocentre/info/library/7268.pdf> ISBN 0-7785-1150-2 (On-line edition)